

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

## Sample Result: PASS

|                           |                                       |                          |                    |
|---------------------------|---------------------------------------|--------------------------|--------------------|
| <b>Date Reported:</b>     | 12/13/2024                            | <b>Sample ID:</b>        | 20241209-CRNA-002  |
| <b>Client Name:</b>       | Hemp Hunter Labs Inc. dba Cirona Labs | <b>Sample Name:</b>      | PR-GL-SSSG-01-1124 |
| <b>Sampling Location:</b> | Rochester, New York                   | <b>Sample Matrix:</b>    | Flower             |
| <b>Contact Name:</b>      | Tyler Bast                            | <b>Sample Sub Type:</b>  | Infused pre-roll   |
| <b>Contact Email:</b>     | tyler@cironalabs.com                  | <b>Package ID:</b>       |                    |
| <b>License Number:</b>    | OCM-PROC-24-000051                    | <b>Batch Lot ID:</b>     | PR-GL-SSSG-01-1124 |
| <b>Medical/Adult Use:</b> | Adult Use                             | <b>Batch Size:</b>       | 4560               |
| <b>Sampling Date:</b>     | 12/09/2024 10:31:00 AM                | <b>Serving Size (g):</b> | 0.5                |

|                       |          |                        |          |                                     |          |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b> | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>P</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>P</b> | <b>Filth &amp; Foreign Material</b> | <b>-</b> |                   |          |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: PR-GL-SSSG-01-1124 (20241209-CRNA-002)

Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 1.038       |
| CBDA      | < MRL  | < MRL      | 1.038       |
| CBGA      | 1.286  | 6.432      | 1.038       |
| CBG       | < MRL  | < MRL      | 1.038       |
| CBD       | < MRL  | < MRL      | 1.038       |
| THCV      | < MRL  | < MRL      | 1.038       |
| CBN       | < MRL  | < MRL      | 1.038       |
| D9-THC    | 3.543  | 17.716     | 1.038       |
| D8-THC    | < MRL  | < MRL      | 1.038       |
| D10-THC-S | < MRL  | < MRL      | 1.038       |
| D10-THC-R | < MRL  | < MRL      | 1.038       |
| CBC       | < MRL  | < MRL      | 1.038       |
| THCA      | 40.311 | 201.557    | 1.038       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #87221 | Date Tested: 12/11/2024 06:57 PM

| Potency Summary                                                                            | % w/w  | mg/serving |
|--------------------------------------------------------------------------------------------|--------|------------|
| <b>Total THC</b> [ $\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877) ] | 38.896 | 194.481    |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                  | < MRL  | < MRL      |
| <b>Total Cannabinoids</b>                                                                  | 45.140 | 225.705    |



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: PR-GL-SSSG-01-1124 (20241209-CRNA-002)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | < MRL          | 0.09        |
| Camphene            | < MRL          | 0.09        |
| Sabinene            | < MRL          | 0.09        |
| beta-Pinene         | < MRL          | 0.09        |
| beta-Myrcene        | < MRL          | 0.09        |
| Alpha-phellandrene  | < MRL          | 0.09        |
| Carene              | < MRL          | 0.09        |
| alpha-terpinene     | < MRL          | 0.09        |
| p-Cymene            | < MRL          | 0.09        |
| Limonene            | < MRL          | 0.09        |
| Eucalyptol          | < MRL          | 0.09        |
| Ocimene             | < MRL          | 0.07        |
| gamma-Terpinene     | < MRL          | 0.09        |
| Sabinene Hydrate    | < MRL          | 0.09        |
| Terpinolene         | < MRL          | 0.09        |
| Linalool            | < MRL          | 0.09        |
| Fenchol             | < MRL          | 0.09        |
| Menthol             | < MRL          | 0.09        |
| Terpineol           | < MRL          | 0.09        |
| Citronellol         | < MRL          | 0.09        |
| Isopulegol          | < MRL          | 0.09        |
| Geraniol            | < MRL          | 0.09        |
| Alpha-cedrene       | 0.09           | 0.08        |
| Beta-Caryophyllene  | 0.46           | 0.09        |
| Farnesene           | < MRL          | 0.09        |
| alpha-Humulene      | 0.21           | 0.09        |
| Valencene           | < MRL          | 0.09        |
| cis-Nerolidol       | < MRL          | 0.04        |
| trans-Nerolidol     | < MRL          | 0.06        |
| Caryophyllene oxide | < MRL          | 0.09        |
| Guaiol              | < MRL          | 0.09        |
| alpha-Bisabolol     | < MRL          | 0.09        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #87228 | Date Tested: 12/12/2024 02:56 PM

| Terpenes Summary              | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| <b>Total Terpenes (% w/w)</b> | 0.76   | 10    | PASS      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Residual Solvents: PR-GL-SSSG-01-1124 (20241209-CRNA-002)

**PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

| Analyte                                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-----------------------------------------|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane                      | PASS      | < MRL         | 5            | 4.934      |
| 2-Propanol                              | PASS      | < MRL         | 5000         | 739.194    |
| Acetone                                 | PASS      | < MRL         | 5000         | 147.839    |
| Acetonitrile                            | PASS      | < MRL         | 410          | 60.614     |
| Butanes, total                          | PASS      | < MRL         | 5000         | 739.194    |
| Benzene                                 | PASS      | < MRL         | 2            | 0.987      |
| Chloroform                              | PASS      | < MRL         | 60           | 8.870      |
| Dichloromethane                         | PASS      | < MRL         | 600          | 88.703     |
| Dimethyl Sulfoxide                      | PASS      | < MRL         | 5000         | 1330.548   |
| Ethanol                                 | PASS      | < MRL         | 5000         | 739.194    |
| Ethyl acetate                           | PASS      | < MRL         | 5000         | 739.194    |
| Ethyl ether                             | PASS      | < MRL         | 5000         | 739.194    |
| n-Heptane                               | PASS      | < MRL         | 5000         | 739.194    |
| Hexanes, total                          | PASS      | < MRL         | 290          | 42.873     |
| Methanol                                | PASS      | < MRL         | 3000         | 443.517    |
| Pentanes, total                         | PASS      | < MRL         | 5000         | 739.194    |
| Propane                                 | PASS      | < MRL         | 5000         | 739.194    |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS      | < MRL         | 1000         | 478.997    |
| Toluene                                 | PASS      | < MRL         | 890          | 131.576    |
| Trichloroethane                         | PASS      | < MRL         | 1500         | 1330.548   |
| Xylenes, total                          | PASS      | < MRL         | 2170         | 320.811    |

MRL = Minimum reporting limit/limit of quantification

Test ID: #87227 | Date Tested: 12/13/2024 12:03 PM



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: PR-GL-SSSG-01-1124 (20241209-CRNA-002)

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.50         | 0.100      |
| Acephate                | PASS      | < MRL         | 0.40         | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.40         | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.20         | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.40         | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.20         | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.20         | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.20         | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.250      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.050      |
| Chlormequat chloride    | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.20         | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.20         | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.20         | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.20         | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 1.00         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.20         | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.40         | 0.100      |
| Etoxazole               | PASS      | < MRL         | 0.20         | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.40         | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.40         | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.40         | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.20         | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.40         | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.40         | 0.100      |
| Malathion               | PASS      | < MRL         | 0.20         | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.20         | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.40         | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.20         | 0.050      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.20         | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.20         | 0.100      |
| Naled                   | PASS      | < MRL         | 0.50         | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.40         | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 1.00         | 0.250      |
| Permethrins, total      | PASS      | < MRL         | 0.20         | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.20         | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.20         | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.40         | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.20         | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.20         | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.20         | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.20         | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.20         | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.20         | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.40         | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.20         | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.20         | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #87226 | Date Tested: 12/12/2024 02:19 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: PR-GL-SSSG-01-1124 (20241209-CRNA-002)                                                        |           |               |                                                    |            | PASS |
|-----------------------------------------------------------------------------------------------------------|-----------|---------------|----------------------------------------------------|------------|------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA) |           |               |                                                    |            |      |
| Analyte                                                                                                   | Pass/Fail | Result (µg/g) | Limit (µg/g)                                       | MRL (µg/g) |      |
| Ochratoxin                                                                                                | PASS      | < MRL         | 0.02                                               | 0.010      |      |
| Total Aflatoxins                                                                                          | PASS      | < MRL         | 0.02                                               | 0.010      |      |
| MRL = Minimum reporting limit/limit of quantification                                                     |           |               | Test ID: #87225   Date Tested: 12/12/2024 02:19 PM |            |      |

| Heavy Metals: PR-GL-SSSG-01-1124 (20241209-CRNA-002)                                                          |           |               |                                                    |            | PASS |
|---------------------------------------------------------------------------------------------------------------|-----------|---------------|----------------------------------------------------|------------|------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA) |           |               |                                                    |            |      |
| Analyte                                                                                                       | Pass/Fail | Result (µg/g) | Limit (µg/g)                                       | MRL (µg/g) |      |
| Chromium                                                                                                      | PASS      | < MRL         | 110.0                                              | 8.00       |      |
| Nickel                                                                                                        | PASS      | < MRL         | 2.0                                                | 1.00       |      |
| Copper                                                                                                        | PASS      | 9.893         | 30.0                                               | 8.00       |      |
| Arsenic                                                                                                       | PASS      | < MRL         | 0.2                                                | 0.10       |      |
| Cadmium                                                                                                       | PASS      | < MRL         | 0.2                                                | 0.10       |      |
| Antimony                                                                                                      | PASS      | < MRL         | 2.0                                                | 1.00       |      |
| Mercury                                                                                                       | PASS      | < MRL         | 0.1                                                | 0.05       |      |
| Lead                                                                                                          | PASS      | < MRL         | 0.5                                                | 0.20       |      |
| MRL = Minimum reporting limit/limit of quantification                                                         |           |               | Test ID: #87222   Date Tested: 12/12/2024 09:19 AM |            |      |

| Microbiological Screen: PR-GL-SSSG-01-1124 (20241209-CRNA-002)                                                               |           |                 |                                                    |             | PASS |
|------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------|----------------------------------------------------|-------------|------|
| Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY) |           |                 |                                                    |             |      |
| Analyte                                                                                                                      | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                      | MRL (CFU/g) |      |
| Total Aerobic Bacteria                                                                                                       | PASS      | 77000           | None                                               | 100         |      |
| Total Yeast & Mold                                                                                                           | PASS      | < MRL           | None                                               | 100         |      |
| Salmonella spp                                                                                                               | PASS      | Absent          | Absent                                             | 1           |      |
| Shiga toxin-producing E. coli                                                                                                | PASS      | Absent          | Absent                                             | 1           |      |
| Aspergillus (fumigatus, flavus, niger, terreus)                                                                              | PASS      | Absent          | Absent                                             | 1           |      |
| MRL = Minimum reporting limit/limit of quantification                                                                        |           |                 | Test ID: #87223   Date Tested: 12/12/2024 08:30 AM |             |      |

| Moisture Content: PR-GL-SSSG-01-1124 (20241209-CRNA-002)              |           |            |                                                    |  | PASS |
|-----------------------------------------------------------------------|-----------|------------|----------------------------------------------------|--|------|
| Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA) |           |            |                                                    |  |      |
| Analyte                                                               | Pass/Fail | Result (%) | Limit (%)                                          |  |      |
| Moisture                                                              | PASS      | 7.2        | 15                                                 |  |      |
| MRL = Minimum reporting limit/limit of quantification                 |           |            | Test ID: #87224   Date Tested: 12/12/2024 09:11 AM |  |      |

| Water Activity: PR-GL-SSSG-01-1124 (20241209-CRNA-002)                           |           |                          |                                                    |  | PASS |
|----------------------------------------------------------------------------------|-----------|--------------------------|----------------------------------------------------|--|------|
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA) |           |                          |                                                    |  |      |
| Analyte                                                                          | Pass/Fail | Result (a <sub>w</sub> ) | Limit (a <sub>w</sub> )                            |  |      |
| Water Activity                                                                   | PASS      | 0.43                     | 0.65                                               |  |      |
| MRL = Minimum reporting limit/limit of quantification                            |           |                          | Test ID: #87229   Date Tested: 12/12/2024 09:11 AM |  |      |





# Certificate of Analysis

## Full Compliance Test

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
[www.greenanalyticsllc.com](http://www.greenanalyticsllc.com)  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

---

Matthew Elmes  
Lab Director  
12/13/2024



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.